


Agenda



- NASA's Exploration Roadmap
- Launch Vehicle Comparisons
- Designing the Ares I and Ares V In House
- Exploring the Moon
- Systems Engineering Adds Value Throughout the Project Lifecycle

NASA's Exploration Roadmap



The Exploration Timeline Spans Several Decades

Launch Vehicle Comparisons



0 _



Space Shuttle

Height: 56.1 m (184.2 ft) **Gross Liftoff Mass:** 2,041,166 kg (4.5M lbm) Payload Capability: 25 mT (55k lbm) to Low Earth Orbit (LEO)

Ares I

Orion

Upper Stage

(1 J-2X)

138,350 kg

(302k lbm)

5-Segment

Reusable

Solid

Rocket

Booster

(RSRB)

LOX/LH₂

Height: 99.1 m (325 ft) **Gross Liftoff Mass:** 907,185 kg (2.0M lbm) Payload Capability: 25.6 mT (56.5k lbm) to LEO

Altair

Earth Departure Stage (EDS) (1 J-2X) 234,488 kg (517k lbm) LOX/LH₂

Core Stage (6 RS-68 Engines)

1,435,541 kg (3.2M lbm) LOX/LH₂

Two 5.5-Segment **RSRBs**

Ares V

Height: 116.2 m (381.1 ft) **Gross Liftoff Mass:** 3,704.5 mT (8,167.1K lbm) Payload Capability: 71.1 mT (156.7K lbm) to TLI (with Ares I) 62.8 mT (138.5K lbm) to TLI ~187.7 mT (413.8K lbm) to LEO

Crew

Lunar Lander

S-IVB (1 J-2 engine)

108,862 kg (240k lbm) LOX/LH₂

S-II

(5 J-2 engines)

453,592 kg (1M lbm) LOX/LH₂

S-IC

(5 F-1)


1,769,010 kg (3.9M lbm) LOX/RP-1

Height: 110.9 m (364 ft) **Gross Liftoff Mass:** 2,948,350 kg (6.5M lbm) Payload Capability: 45 mT (99k lbm) to TLI 119 mT (262k lbm) to LEO


The Ares I and Ares V Build on Knowledge Gained from the Saturn V and Space Shuttle

Designing the Ares I and Ares V In House






Engineering Lessons Apply to Both Systems



Systems Engineering Adds Value Throughout the Project Lifecycle








For More Information





www.nasa.gov